


SAMPLE INFORMATION

Sample No.: 1444170-LITSTICKSCBD-CHERRIEDLEMONS
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile: Tested
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass
Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	812.5	81.25
CBDA	ND	ND
CBC	7.4	0.74
CBCA	ND	ND
CBDV	6.8	0.68
CBG	16.4	1.64
CBGA	ND	ND
CBN	16.4	1.64
Total THC	ND	ND
Total CBD	812.5	81.25
Total Cannabinoids	859.5	85.95
Sum of Cannabinoids	859.5	85.95

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444171-LITSTICKSCBD-CINNAMONTOASTCRUNCH
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile:	Tested	**Microbiological Screen:**	Tested
Pesticide Residue Screen:	Pass	**Residual Solvent Screen:**	Pass
Heavy Metal Screen:	Pass	**Mycotoxin Screen:**	Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	849.9	84.99
CBDA	ND	ND
CBC	9.0	0.90
CBCA	ND	ND
CBDV	5.4	0.54
CBG	12.9	1.29
CBGA	ND	ND
CBN	17.1	1.71
Total THC	ND	ND
Total CBD	849.9	84.99
Total Cannabinoids	894.3	89.43
Sum of Cannabinoids	894.3	89.43

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444172-LITSTICKSCBD-GREENAPPLEFRITTERS
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile: Tested
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass
Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	836.9	83.69
CBDA	ND	ND
CBC	9.5	0.95
CBCA	ND	ND
CBDV	4.8	0.48
CBG	16.4	1.64
CBGA	ND	ND
CBN	15.8	1.58
Total THC	ND	ND
Total CBD	836.9	83.69
Total Cannabinoids	883.4	88.34
	883.4	88.34

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444173-LITSTICKSCBD-HITECH
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile: Tested
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass
Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	838.2	83.82
CBDA	ND	ND
CBC	9.4	0.94
CBCA	ND	ND
CBDV	6.1	0.61
CBG	16.7	1.67
CBGA	ND	ND
CBN	16.6	1.66
Total THC	ND	ND
Total CBD	838.2	83.82
Total Cannabinoids	887.0	88.70
Sum of Cannabinoids	887.0	88.70

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444174-LITSTICKSCBD-ITALIANICE
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile: Tested
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass
Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	838.1	83.81
CBDA	ND	ND
CBC	6.8	0.68
CBCA	ND	ND
CBDV	4.3	0.43
CBG	12.1	1.21
CBGA	ND	ND
CBN	18.9	1.89
Total THC	ND	ND
Total CBD	838.1	83.81
Total Cannabinoids	880.2	88.02
Sum of Cannabinoids	880.2	88.02

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444175-LITSTICKSCBD-PEACHPUSSY
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile: Tested
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass
Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	827.1	82.71
CBDA	ND	ND
CBC	8.1	0.81
CBCA	ND	ND
CBDV	4.5	0.45
CBG	16.9	1.69
CBGA	ND	ND
CBN	18.6	1.86
Total THC	ND	ND
Total CBD	827.1	82.71
Total Cannabinoids	875.2	87.52
Sum of Cannabinoids	875.2	87.52

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444176-LITSTICKSCBD-ROASTEDMARSHMALLOWS
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile: Tested
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass
Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	820.8	82.08
CBDA	ND	ND
CBC	6.1	0.61
CBCA	ND	ND
CBDV	4.1	0.41
CBG	15.5	1.55
CBGA	ND	ND
CBN	18.6	1.86
Total THC	ND	ND
Total CBD	820.8	82.08
Total Cannabinoids	865.1	86.51
Sum of Cannabinoids	865.1	86.51

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444177-LITSTICKSCBD-SIXTEENSKITTLEZ
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile:	Tested	**Microbiological Screen:**	Tested
Pesticide Residue Screen:	Pass	**Residual Solvent Screen:**	Pass
Heavy Metal Screen:	Pass	**Mycotoxin Screen:**	Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	818.6	81.86
CBDA	ND	ND
CBC	8.4	0.84
CBCA	ND	ND
CBDV	4.4	0.44
CBG	16.1	1.61
CBGA	ND	ND
CBN	14.1	1.41
Total THC	ND	ND
Total CBD	818.6	81.86
Total Cannabinoids	861.6	86.16
Sum of Cannabinoids	861.6	86.16

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444178-LITSTICKSCBD-WETTWETTWATERMELON
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile: Tested
Pesticide Residue Screen: Pass
Heavy Metal Screen: Pass
Microbiological Screen: Tested
Residual Solvent Screen: Pass
Mycotoxin Screen: Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	835.3	83.53
CBDA	ND	ND
CBC	6.2	0.62
CBCA	ND	ND
CBDV	6.3	0.63
CBG	13.0	1.30
CBGA	ND	ND
CBN	17.4	1.74
Total THC	ND	ND
Total CBD	835.3	83.53
Total Cannabinoids	878.2	87.82
Sum of Cannabinoi	878.2	87.82

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen


Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -



SAMPLE INFORMATION

Sample No.: 1444179-LITSTICKSCBD-WOCKHARDT
Product Name: BROAD SPECTRUM CBD DISTILLATE
Matrix: Concentrate (Distillate)
Lot #: BK-26-298

Date Collected: 09/21/2026
Date Received: 09/21/2026
Date Reported: 10/01/2026

TEST SUMMARY

Cannabinoid Profile:	Tested	**Microbiological Screen:**	Tested
Pesticide Residue Screen:	Pass	**Residual Solvent Screen:**	Pass
Heavy Metal Screen:	Pass	**Mycotoxin Screen:**	Pass

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	827.0	82.70
CBDA	ND	ND
CBC	9.7	0.97
CBCA	ND	ND
CBDV	4.6	0.46
CBG	15.8	1.58
CBGA	ND	ND
CBN	16.3	1.63
Total THC	ND	ND
Total CBD	827.0	82.70
Total Cannabinoids	873.4	87.34
Sum of Cannabinoids	873.4	87.34

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen Tested

Example

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Standard Plate Count	FDA BAM	-	<10	cfu/g	-
Yeast	FDA BAM	-	<10	cfu/g	-
Mold	FDA BAM	-	<10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	-	<10	cfu/g	-
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected/1g	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected/1g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB -